AUTHOR INDEX

A

ALMAN, JOHN E. (*See* SCHILLER, LOWELL, AND ALMAN), 293

AMPHLETT, JAMES. (*See* KUTSCHER, BARBASH, ZEGARELLI, AND AMPHLETT), 438

ARBESMAN, CARL E., BEEDE, ROBERT B., AND ROSE, NOEL R. Sensitivity to animals: a case report with immunologic studies. I. Clinical aspects, 130

— AND EHRENREICH, ROBERT J. Prednisolone alone and in combination with hydroxyzine, 242

—. (*See* BEEDE, ROSE, AND ARBESMAN), 139

B

BALDWIN, HORACE S. (*See* BEISER, DWORETZKY, SMART, AND BALDWIN), 44

—. (*See* DWORETZKY, BEISER, AND BALDWIN), 48

BARAK, A. J. (*See* MACHAFFIE, BARAK, AND O'BRIEN), 545

BARBASH, ROSLYN, KUTSCHER, AUSTIN H., ZEGARELLI, EDWARD V., AND SILVERS, HERBERT F. Recurrent ulcerative (aphthous) stomatitis: intradermal food test studies, 442

—. (*See* KUTSCHER, BARBASH, ZEGARELLI, AND AMPHLETT), 438

BARNARD, JAMES H. (*See* SHERWOOD AND BARNARD), 222

BECKER, ELMER L. Enzymatic mechanisms in the action of complement, 191

BEEDE, ROBERT B., ROSE, NOEL R., AND ARBESMAN, CARL E. Sensitivity to animals: a case report with immunologic studies. II. Serologic aspects, 139

—. (*See* ARBESMAN, BEEDE, AND ROSE), 130

BEISER, SAM M., DWORETZKY, MURRAY, SMART, K. MARILYN, AND BALDWIN, HORACE S. Studies of materials derived from staphylococcus. IV. Precipitating antibodies to staphylococcal antigens in human sera, 44

—. (*See* DWORETZKY, BEISER, AND BALDWIN), 48

BERNS, ALINE W. (*See* BUKANTZ AND BERNS), 29

BLUMSTEIN, GEORGE I. (*See* STRAUSS, SIEGEL, AND BLUMSTEIN), 173

BOUCHARD, GABRIELLE. (*See* VANARSDEL, MIDDLETON, SHERMAN, AND BUCHWALD), 429

BROWN, EARL B., AND SEIDEMAN, THOMAS. Comparing the effectiveness of a prednisolone-hydroxyzine combination with prednisolone in treatment of allergic diseases, 80

—, —, AND SEIGELAUB, A. B. Treatment of ragweed hay fever with methylprednisolone (Medrol), 227

BROWN, FREDERICK R. (*See* DANN, BROWN, AND RUCHOCKI), 511

BUCHWALD, HENRY. (*See* VANARSDEL, MIDDLETON, SHERMAN, AND BUCHWALD), 429

BUKANTZ, SAMUEL C., AND BERNS, ALINE W. Studies with sputum. I. Initial observations on the chemical nature and blood group substance content of asthmatic sputum, 27

BURRAGE, WALTER S. (*See* IRWIN AND BURRAGE), 233

C

CARRYER, HADDON M., AND MILLER, ARCHIE W. The occurrence of allergic disease in patients with Cushing's syndrome, 485

CHAMBERS, VAN VLECK, AND GLASER, JEROME. The incidence of subsequent ragweed pollinosis in symptom-free persons having positive reactions to ragweed pollen extract, 249

—, HUDSON, BRUCE H., AND GLASER, JEROME. A study of the reactions of human polymorphonuclear leukocytes to various allergens, 93

CODE, CHARLES F. (*See* HENDERSON, CODE, AND ROTH), 122

COHEN, ARMAND E., AND COHEN, NORMAN K. Hypersensitivity following ingestion of hydroxyzine (Atarax) in a meprobamate-sensitive patient, 542

COHEN, NORMAN K. (*See* COHEN AND COHEN), 542

COHEN, SHELDON G. (*See* DZURY AND COHEN), 340

— AND MICHELINI, FRANCIS J. (WITH THE TECHNICAL ASSISTANCE OF WIENER, LESLIE P., AND STEIN, JEROME). Immune responses to ragweed pollen antigens, 446

— AND MINES, SAMUEL C. Variations in egg white and egg yolk components of virus and rickettsial vaccines, 479

COOKE, ROBERT A. (*See* FISHER AND COOKE), 396, 411

—. (*See* WILHELM, FISHER, AND COOKE), 493

CRIEP, LEO H., TEUFEL, ROMAYNE A., AND MILLER, CRAIG S. Fungicidal agents in the treatment of allergy to molds, 258

D

DANN, SIDNEY, BROWN, FREDERICK R., AND RUCHOCKI, ARON D. Clinical experience with parabromdylamine maleate (Dimetane), a new antihistaminic, 511

DWORETZKY, MURRAY, BEISER, SAM M., AND BALDWIN, HORACE S. Studies of materials derived from staphylococcus. V. Immunologic relationship between a nucleoprotein fraction of two strains of staphylococcus as determined by anaphylaxis, 48

—. (*See* BEISER, DWORETZKY, SMART, AND BALDWIN), 44

DZURY, DANIEL S., AND COHEN, SHELDON G. Experimental eosinophilia, 340

E

EDWARDS, MARY C. (*See* RACKEMANN AND EDWARDS), 528

EHRENREICH, ROBERT J. (*See* ARBESMAN AND EHRENREICH), 242

F

FEIN, BERNARD T. Repeated multiple fractures of ribs by cough in bronchial asthma, 209

FEINBERG, ALAN R., PRUZANSKY, JACOB J., FEINBERG, SAMUEL M., AND FISHERMAN, ELMER W. Hydroxyzine (Atarax) in chronic urticaria and in allergic manifestations, 358

FEINBERG, SAMUEL M. (*See* FEINBERG, PRUZANSKY, FEINBERG, AND FISHERMAN), 358

FISHER, J. PROCHAZKA, AND COOKE, ROBERT A. (WITH THE TECHNICAL ASSISTANCE OF STROYMAN, SONYA, AND GORDON, GLORIA). Experimental toxic and allergic contact dermatitis. I. A chemical study of histamine content, 396

— AND — (WITH THE TECHNICAL ASSISTANCE OF STROYMAN, SONYA, AND GORDON, GLORIA). Experimental toxic and allergic contact dermatitis. II. A histopathologic study, 411

—. (*See* WILHELM, FISHER, AND COOKE), 493

FISHERMAN, ELMER W. (*See* FEINBERG, PRUZANSKY, FEINBERG, AND FISHERMAN), 358

FOLLENSBY, EDNA M. The applicability of in vitro tests in the measurement of neutralizing antibody for ragweed pollen extract, 103

FOUBERT, EDWARD L., JR., AND STIER, R. A. Antigenic relationships between honeybees, wasps, yellow hornets, black hornets, and yellow jackets, 13

FRANKLIN, WILLIAM, LOWELL, FRANCIS C., MICHELSON, ALAN L., AND SCHILLER, IRVING W. Aerosolized steroids in bronchial asthma, 214

FRIEDLAENDER, SIDNEY. Report of the Committee on Drugs of the Research Council of the American Academy of Allergy, 1957-1958, 459

G

GIRSH, LEONARD S. (*See* TUFT AND GIRSH), 502

GLASER, JEROME. (*See* CHAMBERS AND GLASER), 249

—. (*See* CHAMBERS, HUDSON, AND GLASER), 93

GLAZER, ISRAEL. (*See* ZIPRKOWSKI AND GLAZER), 336

GORDON, GLORIA. (*See* FISHER AND COOKE), 396, 411

GORDON, J. (*See* RICHTER, SEHON, GORDON, GREGOIRE, AND ROSE), 287

GREGOIRE, C. (*See* RICHTER, SEHON, GORDON, GREGOIRE, AND ROSE), 287

H

HALPERN, B. N., HOLTZER, A., LIACOPOULOS, P., AND MEYER, J. Allergy to pyrazolone derivatives (aminopyrine) with evidence of a reaginic type antibody, 1

HAMILTON, WILLIAM K. (*See* SEEBOHM AND HAMILTON), 56

HARGIS, BETTY. (*See* MALKIEL AND HARGIS), 524

HENDERSON, LOWELL L., CODE, CHARLES F., AND ROTH, GRACE M. Increased blood histamine in thermal intolerance, 122

HOLTZER, A. (*See* HALPERN, HOLTZER, LIACOPOULOS, AND MEYER), 1

HOWES, HOMER A. Historian's report, American Academy of Allergy, 283

HUDSON, BRUCE H. (*See* CHAMBERS, HUDSON, AND GLASER), 93

HUGHES, F. BARBARA, AND MCDOWALL, R. J. S.: Comparison of induced electrolyte disturbance in normal and sensitized guinea pigs, 201

I

IRWIN, JOHN W., AND BURRAGE, WALTER S. The role of adrenocortical steroids in the treatment of intractable bronchial asthma, 233

K

KRAVETZ, PHYLLIS. (*See* LEMON, KRAVETZ, MICHELSON, LOWELL, AND WOTIZ), 384

KUTSCHER, AUSTIN, BARBASH, ROSLYN, ZEGARELLI, EDWARD V., AND AMPHLETT, JAMES. Citric acid sensitivity in recurrent ulcerative (aphthous) stomatitis, 438
—. (*See* BARBASH, KUTSCHER, ZEGARELLI, AND SILVERS), 442

L

LEMON, HENRY M., KRAVETZ, PHYLLIS, MICHELSON, ALAN L., LOWELL, FRANCIS C., AND WOTIZ, HERBERT H. Endocrine function in bronchial asthma and hay fever, 384
LIACOPOULOS, P. (*See* HALPERN, HOLTZER, LIACOPOULOS, AND MEYER), 1
LOWELL, FRANCIS C. (*See* FRANKLIN, LOWELL, MICHELSON, AND SCHILLER), 214
—. (*See* LEMON, KRAVETZ, MICHELSON, LOWELL, AND WOTIZ), 384
—. (*See* SCHILLER AND LOWELL), 151
—. (*See* SCHILLER, LOWELL, AND ALMAN), 293

Mc

MACHAFFIE, R. A., BARAK, A. J., AND O'BRIEN, R. L. Studies in allergy. I. Serotonin, histamine, and antigen-antibody complex activity in isolated sensitized guinea pig uteri, 545
MCDOWALL, R. J. S. (*See* HUGHES AND MCDOWALL), 201

M

MALKIEL, SAUL, AND HARGIS, BETTY. Enhancement of histamine and anaphylactic shock in mice by Brucella abortus, 524
MATHEWS, KENNETH P. Report of the Research Council of the American Academy of Allergy for 1957-1958, 467
MERKSAMER, DAVID, AND SHERMAN, HYMAN. An evaluation of atmospheric mold spores as allergens in the New York metropolitan area: a seven-year study, 60
MEYER, J. (*See* HALPERN, HOLTZER, LIACOPOULOS, AND MEYER), 1
MICHELINI, FRANCIS J. (*See* COHEN AND MICHELINI), 446
MICHELSON, ALAN L. (*See* FRANKLIN, LOWELL, MICHELSON, AND SCHILLER), 214
—. (*See* LEMON, KRAVETZ, MICHELSON, LOWELL, AND WOTIZ), 384
—. (*See* SCHILLER AND MICHELSON), 160
MIDDLETON, ELLIOTT, JR. (*See* VANARSDEL, MIDDLETON, SHERMAN, AND BUCHWALD), 429
MILLER, ARCHIE W. (*See* CARRYER AND MILLER), 485
MILLER, CRAIG S. (*See* CRIEP, TEUFEL, AND MILLER), 258
MINES, SAMUEL C. (*See* COHEN AND MINES), 479

N

NARANJO, PLUTARCO. Etiological aspects of respiratory allergy in tropical countries of Central and South America, 362

O

O'BRIEN, R. L. (*See* MACHAFFIE, BARAK, AND O'BRIEN), 545

P

PATTERSON, ROY. The tracheal strip: observations on the response of tracheal muscle, 165
PERLMAN, FRANK. Insects as inhalant allergens, 302
PRUZANSKY, JACOB J. (*See* FEINBERG, PRUZANSKY, FEINBERG, AND FISHERMAN), 358

R

RACKEMANN, FRANCIS M. Asthma is a constitutional disease, 535
— AND EDWARDS, MARY C. Is intrinsic asthma a reversible disease? 528
RAPPAPORT, BEN Z. Annual report of the Committee on Education of the American Academy of Allergy, 377
REED, CHARLES E. The failure of antepartum or neonatal exposure to grass pollen to influence the later development of grass sensitivity, 300
RICHTER, M., SEHON, A. H., GORDON, J., GREGOIRE, C., AND ROSE, B. Demonstration of reagin of a new specificity in sera of treated ragweed-sensitive persons, 287
ROOKS, ROLAND, AND SHAPIRO, RICHARD S. The value and limitations of mold surveys by the culture plate method, 24
ROSE, B. (*See* RICHTER, SEHON, GORDON, GREGOIRE, AND ROSE), 287
ROSE, NOEL R. (*See* ARBESMAN, BEEDE, AND ROSE), 130
—. (*See* BEEDE, ROSE, AND ARBESMAN), 139
ROTH, GRACE M. (*See* HENDERSON, CODE, AND ROTH), 122
RUCHOCKI, ARON D. (*See* DANN, BROWN, AND RUCHOCKI), 511
RUDIN, MAJA. (*See* VANARSDEL, MIDDLETON, SHERMAN, AND BUCHWALD), 429

S

SCHILLER, IRVING W., AND LOWELL, FRANCIS C. An appraisal of oral and aerosolized methylphenidate hydrochloride (Ritalin) in obstructive pulmonary disease, 151

—, —, AND ALMAN, JOHN E. The use of color-coded tablets in the clinical appraisal of two established bronchodilator preparations and N-[β-(10-phenothiazinyl) propyl] trimethylammonium benzene chloride, 293

— AND MICHELSON, ALAN L. Methylphenidate hydrochloride (Ritalin) in obstructive pulmonary disease, 160

—. (*See* FRANKLIN, LOWELL, MICHELSON, AND SCHILLER), 214

SEEBOHM, PAUL M., AND HAMILTON, WILLIAM K. A method for measuring nasal resistance without intranasal instrumentation, 56

SEHON, A. H. (*See* RICHTER, SEHON, GORDON, GREGOIRE, AND ROSE), 287

SEIDEMAN, THOMAS. (*See* BROWN AND SEIDEMAN), 80

—. (*See* BROWN, SEIDEMAN, AND SEIGELAUB), 227

SEIGELAUB, A. B. (*See* BROWN, SEIDEMAN, AND SEIGELAUB), 227

SHAPIRO, RICHARD S. (*See* ROOKS AND SHAPIRO), 24

SHERMAN, HYMAN. (*See* MERKSAMER AND SHERMAN), 60

SHERMAN, WILLIAM B. President's address, American Academy of Allergy, 274

—. (*See* VANARSDEL, MIDDLETON, SHERMAN, AND BUCHWALD), 429

SHERWOOD, HENRY, AND BARNARD, JAMES H. Prednisone and prednisolone in chronic allergic diseases, 222

SIEGAL, SHEPPARD. Local allergic edema induced by injected procaine, 329

SIEGEL, BERNARD B. (*See* STRAUSS, SIEGEL, AND BLUMSTEIN), 173

SILVERS, HERBERT F. (*See* BARBASH, KUTSCHER, ZEGARELLI, AND SILVERS), 442

SMART, K. MARILYN. (*See* BEISER, DWORETZKY, SMART, AND BALDWIN), 44

STEIN, JEROME. (*See* COHEN AND MICHELINI), 446

STIER, R. A. (*See* FOUBERT AND STIER), 13

STRAUSS, MARGARET B., SIEGEL, BERNARD B., AND BLUMSTEIN, GEORGE I. Allergenic food extracts. I. Methods of preparation, 173

STROYMAN, SONYA. (*See* FISHER AND COOKE), 396, 411

—. (*See* WILHELM, FISHER, AND COOKE), 493

T

TEUFEL, ROMAYNE A. (*See* CRIEP, TEUFEL, AND MILLER), 258

TUFT, LOUIS, AND GIRSH, LEONARD S. Buccal mucosal tests in patients with canker sores (aphthous stomatitis), 502

V

VANARSDEL, PAUL P., JR., MIDDLETON, ELLIOTT, JR., SHERMAN, WILLIAM B., AND BUCHWALD, HENRY (WITH THE TECHNICAL ASSISTANCE OF BOUCHARD, GABRIELLE, AND RUDIN, MAJA). A quantitative study on the in vitro release of histamine from leukocytes of atopic persons, 429

W

WIENER, LESLIE P. (*See* COHEN AND MICHELINI), 446

WILHELM, RUDOLF E., FISHER, J. PROCHAZKA, AND COOKE, ROBERT A. (WITH THE TECHNICAL ASSISTANCE OF STROYMAN, SONYA). Experimental depletion of mononuclear cells for the purpose of investigating reactions of the allergic contact type, 493

WILLIAMS, M. HENRY, JR. (*See* ZOHMAN AND WILLIAMS), 72

WITHERS, ORVAL R. The allergist as a clinician, 277

WOTIZ, HERBERT H. (*See* LEMON, KRAVETZ, MICHELSON, LOWELL, AND WOTIZ), 384

Z

ZEGARELLI, EDWARD V. (*See* KUTSCHER, BARBASH, ZEGARELLI, AND AMPHLETT), 438

—. (*See* BARBASH, KUTSCHER, ZEGARELLI, AND SILVERS), 442

ZELMAN, SAMUEL. Local allergic reaction of previously vaccinated skin during Asian influenza, 381

ZIPRKOWSKI, LEO, AND GLAZER, ISRAEL. Dermatitis medicamentosa apparently due to tetracycline, 336

ZOHMAN, LENORE, AND WILLIAMS, M. HENRY, JR. Comparative effects of aerosol bronchodilators on ventilatory function in bronchial asthma and chronic pulmonary emphysema, 72

SUBJECT INDEX

A

Abortion, spontaneous, significance of blood group conflicts and aberrant salivary secretion, *44* (Abst.)
Abstracts for annual meeting, 272 (Editorial)
ACTH, allergic accidents caused by corticotropin, *70* (Abst.)
and prednisone, increased effect of Adrenalin after pretreatment with, in cases of bronchial asthma, *82* (Abst.)
Addison's disease, auto-antibodies in, *43* (Abst.)
plasma adrenocorticotrophic hormone in, and its modification by administration of adrenal steroids, *75* (Abst.)
Adrenal gland of cat, resynthesis of adrenaline and noradrenaline in, *11* (Abst.)
of rat following depletion with reserpine, adrenaline and noradrenaline content, *92* (Abst.)
steroids, plasma adrenocorticotrophic hormone in Addison's disease and its modification by administration of, *75* (Abst.)
Adrenalin, increased effect of, after pretreatment with ACTH and prednisone in cases of bronchial asthma, *82* (Abst.)
Adrenaline and noradrenaline content of adrenal gland of rat following depletion with reserpine, *92* (Abst.)
resynthesis of, in adrenal gland of cat, *11* (Abst.)
Adrenocortical steroids, role of, in treatment of intractable bronchial asthma (Irwin and Burrage), 233
Adrenocorticotropic and growth hormones, influence of, on antibody formation, *12* (Abst.)
Aerosol bronchodilators, comparative effects of, on ventilatory function in bronchial asthma and chronic pulmonary emphysema (Zohman and Williams), 72
therapy, more direct liquefaction of bronchial secretion by, *18* (Abst.)
Aerosolized steroids in bronchial asthma (Franklin et al.), 214
Aged, tuberculin testing of, *31* (Abst.)
Agglutinins to Shigella paradysenteriae, formation of, by transfer of lymph node cells, *14* (Abst.)
Agranulocytosis in course of chlorpromazine treatment, *80* (Abst.)
fatal, during carbimazole therapy, *41* (Abst.)
after promazine therapy, *79* (Abst.)
Algerian ivy, contact dermatitis from, *37* (Abst.)
Allergenic food extracts. I. Methods of preparation (Strauss et al.), 173
Allergens, evaluation of atmospheric mold spores as, in New York metropolitan area: seven-year study (Merksamer and Sherman), 60
inhalant, insects as (Perlman), 302
reactions of human polymorphonuclear leukocytes to various (Chambers et al.), 93
Allergic accidents caused by corticotropin (ACTH), *70* (Abst.)
contact type delayed sensitivity, transfer of, in man, *5* (Abst.)
of reactions, experimental depletion of mononuclear cells for purpose of investigating (Wilhelm et al.), 493
diseases, chronic, prednisone and prednisolone in (Sherwood and Barnard), 222
comparing effectiveness of prednisolone-hydroxyzine combinations with prednisolone in treatment of (Brown and Seideman), 80
incidence in general practice of pediatrics, *34* (Abst.)
occurrence in patients with Cushing's syndrome (Carryer and Miller), 485
eczema-like reaction and primary irritant reaction, *53* (Abst.)
eczematous contact dermatitis, studies of mechanism of. 1. Findings on human skin with radioactive bichloride of mercury, *5* (Abst.)
edema, local, induced by injected procaine (Siegal), 329
manifestations and chronic urticaria, hydroxyzine (Atarax) in (Feinberg et al.), 358
phenomena, role in etiology and pathogenesis of atopic dermatitis, *38* (Abst.)
reactions to dextran in man, studies on immunochemical basis of, *7* (Abst.)
to Dipasic, *56* (Abst.)
local, of previously vaccinated skin during Asian influenza (Zelman), 381

Allergy—Cont'd
responses, tuberculin, Arthus, and atopic, 554 (Editorial)
shock in humans, *58* (Abst.)
states and collagen diseases, clinical use of prednisone and prednisolone in, *21* (Abst.)
Allergist as clinician (Withers), 277
Allergy(ies), aspirin, *8* (Abst.)
bacterial, in experimental brucellosis, tissue culture studies. I, *59* (Abst.)
disease, status of corticotropin and steroid hormones in therapy, *18* (Abst.)
honey in infant feeding cause? *88* (Abst.)
and hypothermia, experimental, *28* (Abst.)
milk—diagnostic aspects and role of milk substitutes, *23* (Abst.)
miscellaneous, *6, 21, 39, 56, 68, 85* (Absts.)
to molds, fungicidal agents in treatment (Criep et al.), 258
to North American snake venoms, survey of, *24* (Abst.)
to penicillin, heretofore undescribed visceral manifestation of—intestinal obstruction, *22* (Abst.)
to pyrazolone derivatives (aminopyrine) with evidence of reaginic type antibody (Halpern et al.), 1
respiratory, in tropical countries of Central and South America, etiological agents (Naranjo), 362
silk, severe immediate reactions to biologicals caused by, *23* (Abst.)
due to streptomycin, method of desensitization with prednisone, *52* (Abst.)
studies in. I. Serotonin, histamine, and antigen-antibody complex activity in isolated sensitized guinea pig uteri (MacHaffie et al.), 545
and widened roentgenographic mediastinal shadow (thymus?) in childhood, *57* (Abst.)
Amaranth-chenopod group, pollens of; antigenic analysis by gel diffusion, *36* (Abst.)
American Academy of Allergy, 377, 459
1959 annual meeting, 285 (Announcement)
abstracts for, 272 (Editorial)
Committee on Food Allergy of Research Council, 475 (Announcement)
fourteenth annual meeting, 181 (Editorial)
historian's report (Howes), 283
president's address (Sherman), 274
report of Committee on Drugs of Research Council, 1957-1958 (Friedlaender), 459
of Committee on Education (Rappaport), 377
of Research Council for 1957-1958 (Mathews), 467
requests for 1959 scientific exhibits, 380 (Announcement)
Aminophylline and other xanthines, effects on pulmonary circulation, *74* (Abst.)
toxicity, *19* (Abst.)
Aminopyrine; allergy to pyrazolone derivatives with evidence of reaginic type antibody (Halpern et al.), 1
Ammonia water, contact dermatitis caused by, *51* (Abst.)
Anaphylactic and histamine shock in mice, enhancement of, by Brucella abortus (Malkiel and Hargis), 524
shock in mouse, hematocrit changes as indication of, *25* (Abst.)
from penicillin lozenge, *89* (Abst.)
Anaphylactoid purpura, cardiac involvement in, *45* (Abst.)
reaction to nitrofurantoin, *69* (Abst.)
response of uterus and ileum of guinea pigs injected with testis or sperm, demonstration in vitro, *57* (Abst.)
Anaphylatoxin, effect of hydrocortisone in activation and activity of, in vitro, *83* (Abst.)
Anaphylaxis, *9, 25, 41, 57, 71, 83* (Absts.)
immunologic relationship between nucleoprotein fraction of two strains of staphylococcus as determined by (Dworetzky et al.), 48
in mice, comparative inhibition by steroids, tranquilizers, and other drugs, *41* (Abst.)
and nervous system. Part II, *71* (Abst.) Part III, *83* (Abst.)
passive cutaneous, of albino rat, participation of complement in; studies on mechanism of hypersensitivity phenomena, *76* (Abst.)
penicillin, *39* (Abst.)
production in white mouse with soluble antigen-antibody complexes, *72* (Abst.)
in rabbit, serotonin and histamine release during, *9* (Abst.)
Anemia, aplastic, after meprobamate therapy, *69* (Abst.)
auto-immune hemolytic, arrested by removal of ovarian teratoma, *32* (Abst.)
Anergex (report of Committee on Drugs of Research Council, American Academy of Allergy), 465
Anesthetic agent, intravenous, general pharmacological properties of 21-hydroxy-pregnanedione sodium succinate, *47* (Abst.)
Animals, sensitivity to: case report with immunologic studies. I. Clinical aspects (Arbesman et al.), 130
II. Serologic aspects (Beede et al.), 139
Announcements, 87, 182, 285, 380, 555

Antibody(ies), anti-s, hemolytic disease of newborn resulting from, *61* (Abst.)
ascites fluid containing, production in mice of large volumes of, *14* (Abst.)
formation, influence of adrenocorticotropic and growth hormones on, *12* (Abst.)
(hemagglutinin) response as tool for etiologic diagnosis of diarrheal disease, *44* (Abst.)
leukocyte, prevalence, nature, and identification, *60* (Abst.)
neutralizing, for ragweed pollen extract, applicability of in vitro tests in measurement of (Follensby), 103
precipitating, to staphylococcus antigens in human sera (Beiser et al.), *44*
reaginic type, allergy to pyrazolone derivatives (aminopyrine) with evidence of (Halpern et al.), 1
responses of transferred lymph node and peritoneal exudate cells, quantitative aspects, *30* (Abst.)
synthesis initiated in vitro, *77* (Abst.)
Antigen(s) dosage, role of, in treatment of pollinosis and pollen asthma, *2* (Abst.)
effect of secondary injections upon retention in liver of primary injection, *60* (Abst.)
ragweed pollen, immune responses to (Cohen and Michelini), 446
staphylococcal, in human sera, precipitating antibodies to (Beiser et al.), 44
Antigen-antibody complexes formed in rabbits during immune response to bovine serum albumin, nature of, *77* (Abst.)
serotonin, and histamine activity in isolated sensitized guinea pig uteri; studies in allergy (MacHaffie et al.), 545
soluble, production of anaphylaxis in white mouse with, *72* (Abst.)
stimulating action on normal guinea-pig smooth muscle, *78* (Abst.)
Antigenic analysis by gel diffusion. III. Pollens of amaranth-chenopod group, *36* (Abst.)
relationships between honeybees, wasps, yellow hornets, black hornets, and yellow jackets (Foubert and Stier), 13
Antigenicity of protein antigen, impairment of, following injection into rabbits, *13* (Abst.)
Antihistamines and histamine, contribution to pharmacodynamic study in big animals, *76* (Abst.)
Antihistaminic drugs, *74* (Abst.)
new, clinical experience with parabromdylamine maleate (Dimetane) (Dann et al.), 511
Antihistaminic—Cont'd
protection capacity of cortisone and its derivatives (experimental study), *12* (Abst.)
SU-4173 (report of Committee on Drugs of Research Council, American Academy of Allergy), 461
Antitussive agent, use of Noscapine (Narcotine) as, *27* (Abst.)
Aphthous stomatitis (canker sores), buccal mucosal tests in patients with (Tuft and Girsh), 502
recurrent, citric acid sensitivity in (Kutscher et al.), 438
intradermal food test studies (Barbash et al.), 442
Aplastic anemia after meprobamate therapy, *69* (Abst.)
Aristocort (triamcinolone), new corticosteroid hormone, *67* (Abst.)
Arthus, tuberculin, and atopic allergic responses, 553 (Editorial)
Ascites fluid containing antibodies, production in mice of large volumes of, *14* (Abst.)
Asian influenza, local allergic reaction of previously vaccinated skin during (Zelman), 381
Asiatic influenza vaccine, acute vascular purpura following immunization with, *86* (Abst.)
Aspirin allergy, *8* (Abst.)
Asthma, bakers' and millers,' so-called, etiology and pathogenesis, *20* (Abst.)
bronchial, aerosolized steroids in (Franklin et al.), 214
and chronic pulmonary emphysema, chlorpromazine in treatment, *65* (Abst.)
comparative effects of aerosol bronchodilators on ventilatory function in (Zohman and Williams), 72
and hay fever, endocrine function in (Lemon et al.), 384
increased effect of Adrenalin after pretreatment with ACTH and prednisone in cases of, *82* (Abst.)
intractable, role of adrenocortical steroids in treatment (Irwin and Burrage), 233
limited use of chlorpromazine in, *2* (Abst.)
long-term treatment of, by steroids and promotion of psychological security, *19* (Abst.)
personality variations in, *50* (Abst.)
prednisolone hemisuccinate given intravenously to patients with, first therapeutic experiences with, *20* (Abst.)
repeated multiple fractures of ribs by cough (Fein), 209

Asthma, bronchial—Cont'd
urinary excretion of histamine in, *82* (Abst.)
in children, development and course of, *2* (Abst.)
constitutional disease (Rackemann), 535
and hay fever, *1, 17, 33, 49, 65, 81* (Absts.)
in infancy, diagnosis, *66* (Abst.)
intractable, of childhood, development and management, *17* (Abst.)
intrinsic, reversible disease? (Rackemann and Edwards), 528
pollen, and pollinosis, study of role of antigen dosage in treatment, *2* (Abst.)
xiphodynia as concomitant, *36* (Abst.)
Asthmatic attack, acute, treatment of, with oral alcohol-water solution of theophylline (Elixophyllin), *1* (Abst.)
bronchitis, prednisolone aerosol in, *67* (Abst.)
children, serum protein abnormalities in, observations on detection, *49* (Abst.)
seriously ill, management, *50* (Abst.)
sputum, chemical nature and blood group substance content of (Bukantz and Berns), 29
wheezing; compression of trachea and major bronchi as cause, *35* (Abst.)
Atarax in chronic urticaria and in allergic manifestations (Feinberg et al.), 358
(hydroxyzine), hypersensitivity following ingestion of, in meprobamate-sensitive patient (Cohen and Cohen), 542
Atmospheric mold spores as allergens in New York metropolitan area, evaluation of: seven-year study (Merksamer and Sherman), 60
Atopic persons, in vitro release of histamine from leukocytes of, quantitative study (VanArsdel et al.), 429
tuberculin, and Arthus allergic responses, 553 (Editorial)
Auto-antibodies in Addison's disease, *43* (Abst.)

B

Bacharach, Betty, Home, 556 (Announcement)
Bacterial allergy in experimental brucellosis, tissue culture studies. I, *59* (Abst.)
antigen complex, acellular, treatment of complicated colds with, *62* (Abst.)
hypersensitivity in human brucellosis, significance of: studies on infection due to strain 19 Brucella abortis, *28* (Abst.)
polysaccharides, strain differences in local hemorrhagic response (Shwartzman-like reaction) of mice to
Bacterial polysaccharides—Cont'd
single intradermal injection of, *15* (Abst.)
Bacteriology of lower respiratory tract in health and chronic diseases, *48* (Abst.)
Bakers' asthma and millers' asthma, etiology and pathogenesis, *20* (Abst.)
Benadryl poisoning in children, *64* (Abst.)
Benzathine penicillin, reactions to, *70* (Abst.)
G, reactions from multiple injections, *23* (Abst.)
untoward reactions to, in study of rheumatic fever prophylaxis in adults, *89* (Abst.)
Biologicals, severe immediate reactions to, caused by silk allergy, *23* (Abst.)
Bio-Sciences Information Exchange, 475 (Announcement)
Blood group antigens in spermatozoa from man, investigation on occurrence of, and serologic demonstration of segregation of characters, *31, 93* (Absts.)
conflicts and aberrant salivary secretion, significance in spontaneous abortion, *44* (Abst.)
histamine, increased, in thermal intolerance (Henderson et al.), 122
Book reviews, 89
Books received, 286
Bromsulphalein reaction, fatal, *7* (Abst.)
Bronchi, major, and trachea, compression of, as major cause of asthmatic wheezing, *35* (Abst.)
Bronchial asthma, aerosolized steroids in (Franklin et al.), 214
and chronic pulmonary emphysema, comparative effects of aerosol bronchodilators on ventilatory function in (Zohman and Williams), 72
role of chlorpromazine in treatment, *65* (Abst.)
and hay fever, endocrine function in (Lemon et al.), 384
increased effect of Adrenalin after pretreatment with ACTH and prednisone in cases of, *82* (Abst.)
intractable, role of adrenocortical steroids in treatment (Irwin and Burrage), 233
limited use of chlorpromazine in, *2* (Abst.)
long-term treatment of, by steroids and promotion of psychological security, *19* (Abst.)
personality variations in, *50* (Abst.)
prednisolone hemisuccinate given intravenously to patients with, first therapeutic experiences with, *20* (Abst.)
repeated multiple fractures of ribs by cough (Fein), 209

Bronchial asthma—Cont'd
urinary excretion of histamine in, *82* (Abst.)
secretion, more direct liquefaction of, by aerosol therapy, *18* (Abst.)
Bronchitis, allergic, prednisolone aerosol in, *67* (Abst.)
Bronchodilator(s), aerosol, comparative effects of, on ventilatory function in bronchial asthma and chronic pulmonary emphysema (Zohman and Williams), 72
effect of Compound 20025 (1-0-chlorophenyl-2-isopropylaminolthanal hydrochloride), *19* (Abst.)
preparations, two established, and N-[β-(10-phenothiazinyl) propyl] trimethylammonium benzene chloride, use of color-coded tablets in clinical appraisal (Schiller et al.), 293
sympathomimetic, cardiovascular effects, *74* (Abst.)
therapy, outpatient, *35* (Abst.)
Bronchospirometric studies relating to radiographic method for determining differential vital capacity, *43* (Abst.)
Brucella abortus, enhancement of histamine and anaphylactic shock in mice by (Malkiel and Hargis), 524
Brucellosis, experimental, bacterial allergy in, tissue culture studies. I, *59* (Abst.)
human, significance of bacterial hypersensitivity in studies on infection due to strain 19 Brucella abortis, *28* (Abst.)
BZ55, thrombocytopenic purpura in diabetic treated with hypoglycemiagenic sulfamide, *71* (Abst.)

C

Canker sores (aphthous stomatitis), buccal mucosal tests in patients with (Tuft and Girsh), 502
Carbimazole therapy, fatal agranulocytosis during, *41* (Abst.)
Carbon anhydrase inhibition, effects of: sensitivity of respiratory center to carbon dioxide in emphysema and cor pulmonale, *25* (Abst.)
Cardiac involvement in anaphylactoid purpura, *45* (Abst.)
Cardiovascular effects of sympathomimetic bronchodilators: epinephrine, ephedrine, pseudoephedrine, isoproterenol, methoxyphenamine and isoprophenamine, *74* (Abst.)
Cataracts, occurrence of, with atopic dermatitis, additional report, *55* (Abst.)
Central and South America, respiratory allergies in tropical countries of, etiological agents (Naranjo), 362
Chemotaxis, studies of, in simple chamber including observations using cells from allergic human subjects and their allergens, *10* (Abst.)
Chemotherapy for pulmonary tuberculosis, tuberculin reaction during, *31* (Abst.)
Childhood, intractable asthma of, development and management, *17* (Abst.)
widened roentgenographic mediastinal shadow (thymus?) and allergy, *57* (Abst.)
Children, Benadryl poisoning in, *64* (Abst.)
development and course of asthma in, *2* (Abst.)
Chlorpromazine dermatitis, *56* (Abst.)
in nurses, *5* (Abst.)
limited use of, in bronchial asthma, *2* (Abst.)
role in treatment of bronchial asthma and chronic pulmonary emphysema, *65* (Abst.)
treatment, agranulocytosis in course of, *80* (Abst.)
Choroidal findings and tuberculin hypersensitivity in recurrent polyserositis ("periodic disease"), *57* (Abst.)
Chromate dermatitis, *37* (Abst.)
Chromatographic fractions of human gamma globulin, reagin content, *59* (Abst.)
Citric acid sensitivity in recurrent ulcerative (aphthous) stomatitis (Kutscher et al.), 438
Coccidioidin, prevalence of sensitivity to, with special reference to specific and nonspecific reactions to coccidioidin and to histoplasmin, *51* (Abst.)
Colds, complicated, treatment with acellular bacterial antigen complex, *62* (Abst.)
Collagen diseases and allergic states, clinical use of prednisone and prednisolone in, *21* (Abst.)
pulmonary changes in, *26* (Abst.)
Collegium Internationale Allergologicum honors Dr. Béla Schick, 87 (Announcement)
Complement, enzymatic mechanisms in action of (Becker), 191
participation in passive cutaneous anaphylaxis of albino rat; studies on mechanism of hypersensitivity phenomena, *76* (Abst.)
Compound 20025 (1-0-chlorophenyl-2-isopropylaminolthanal hydrochloride), bronchodilator effect, *19* (Abst.)
Conjunctivitis, allergic, ophthalmic decongestants in, comparative study, *71* (Abst.)

Connecticut State Allergy Society, 183 (Announcement)
Contact dermatitis from Algerian ivy, *37* (Abst.)
allergic eczematous, studies of mechanism of. 1. Findings on human skin with radioactive bichloride of mercury, *5* (Abst.)
caused by ammonia water, *51* (Abst.)
due to "Thermofax" copy paper, *55* (Abst.)
Copying paper, dermatitis caused by, *68* (Abst.)
Cor pulmonale and emphysema, sensitivity of respiratory center to carbon dioxide in: effects of carbon anhydrase inhibition, *25* (Abst.)
Correspondence, 190, 472
Corticosteroid hormone, new, triamcinolone (Aristocort), *67* (Abst.)
Cortrophin-zinc (report of Committee on Drugs of Research Council, American Academy of Allergy), 459
Corticotropin (ACTH), allergic accidents caused by, *70* (Abst.)
cortisone, and hydrocortisone, effect of, on storage of melanin in basal cells and on dopa oxidase reaction; studies on atopic dermatitis, *4* (Abst.)
and steroid hormones, status of, in therapy of allergic disease, *18* (Abst.)
Cortisone and its derivatives, antihistaminic protection capacity of (experimental study), *12* (Abst.)
effects on Trichinella spiralis infections in nonimmunized mice, *48* (Abst.)
Cough in bronchial asthma, repeated multiple fractures of ribs by (Fein), 209
response, graded, effects of drugs upon, obtained in sensitized guinea pigs exposed to aerosol of specific antigen, *63* (Abst.)
Cryoglobulinemia, report of patient with (Henderson et al.), 122
Culture plate method in mold surveys, value and limitations of (Rooks and Shapiro), 24
Cutaneous eruptions after use of Salk poliomyelitis vaccine, *52* (Abst.)
Cushing's sydrome, occurrence of allergic disease in patients with (Carryer and Miller), 485

D

Deaths associated with steroid-hormone therapy, *46* (Abst.)
Decongestants, ophthalmic, in allergic conjunctivitis, comparative study, *71* (Abst.)
Delayed sensitivity, allergic contact-type, transfer of, in man, *5* (Abst.)
Dermatitis, allergic eczematous contact, studies of mechanism of. I. Findings on human skin with radioactive bichloride of mercury, *5* (Abst.)
atopic, allergic phenomena in etiology and pathogenesis, *38* (Abst.)
cataracts with, additional report on occurrence, *55* (Abst.)
due to inhalants, *3* (Abst.)
studies on. II. Melanin distribution and dopa oxidase reaction, *4* (Abst.)
III. Effect of corticotropin, cortisone, and hydrocortisone on storage of melanin in basal cells and on dopa oxidase reaction, *4* (Abst.)
caused by copying paper, *68* (Abst.)
chlorpromazine, *56* (Abst.)
in nurses, *5* (Abst.)
chromate, *37* (Abst.)
contact, from Algerian ivy, *37* (Abst.)
caused by ammonia water, *51* (Abst.)
experimental toxic and allergic. I. Chemical study of histamine content (Fisher and Cooke), 396
II. Histopathologic study (Fisher and Cooke), 411
due to "Thermofax" copy paper, *55* (Abst.)
hepatitis, and pyrexia; severe sensitivity reaction attributable to phenylindanedione, *40* (Abst.)
medicamentosa apparently due to tetracycline (Ziprkowski and Glazer), 336
toxic, associated with prednisone therapy, *56* (Abst.)
Dermatology, *3, 37, 51, 68* (Absts.)
Dermatoses, topically applied prednisone and prednisolone in treatment of selected, *38* (Abst.)
Dextran, allergic reactions to, in man, studies on immunochemical basis of, *7* (Abst.)
Diabetic treated with hypoglycemiagenic sulfamide BZ55, thrombocytopenic purpura in, *71* (Abst.)
Diarrheal disease, antibody (hemagglutinin) response as tool for etiologic diagnosis, *44* (Abst.)
Dimetane (parabromdylamine maleate), new antihistaminic, clinical experience (Dann et al.), 511
Dipasic, allergic reactions to, *56* (Abst.)
Diphtheria and tetanus, immunization against, with special combined toxoid, *61* (Abst.)
Dopa oxidase reaction; studies on atopic dermatitis, *4* (Abst.)

Drug(s), antihistaminic, *74* (Abst.)
Committee on, of Research Council of American Academy of Allergy, report for 1957-1958 (Friedlaender), 459
effects upon graded cough response obtained in sensitized guinea pigs exposed to aerosol of specific antigen, *63* (Abst.)
eruptions due to meprobamate, *56* (Abst.)

E

Eczema herpeticum, treatment of, with gamma globulin, *53* (Abst.)
Eczema-like reaction, allergic, and primary irritant reaction, *53* (Abst.)
Eczematous contact dermatitis, allergic, studies of mechanism of. I. Findings on human skin with radioactive bichloride of mercury, *5* (Abst.)
Editorial, abstracts for annual meeting, 272
fourteenth annual meeting of American Academy of Allergy, Philadelphia, Pa., Feb. 3, 4, and 5, 1958, 181
National Institute of Allergy and Infectious Diseases, 85
obstructive pulmonary emphysema, 375
tuberculin, Arthus, and atopic allergic responses, 553
Education, Committee on, of American Academy of Allergy, annual report (Rappaport), 377
Egg white and egg yolk components of virus and rickettsial vaccines, variations in (Cohen and Mines), 479
Electrocardiogram, T-a wave of adult: expression of pulmonary emphysema, *63* (Abst.)
Electrolyte disturbance, induced, in normal and sensitized guinea pigs, comparison of (Hughes and McDowall), 201
Elixophyllin (theophylline), treatment of acute asthmatic attack with oral alcohol-water solution of, *1* (Abst.)
Emotional tension and neurodermatitis, *54* (Abst.)
Emphysema, chronic pulmonary, and bronchial asthma, comparative effects of aerosol bronchodilators on ventilatory function in (Zohman and Williams), 72
role of chlorpromazine in treatment, *65* (Abst.)
and cor pulmonale, sensitivity of respiratory center to carbon dioxide in effects of carbon anhydrase inhibition, *25* (Abst.)
obstructive pulmonary, 375 (Editorial)
Emphysema—Cont'd
pulmonary, comparative study of intrapulmonary gas mixing and functional residual capacity in, using helium and nitrogen as test gases, *91* (Abst.)
T-a wave of adult electrocardiogram, expression of, *63* (Abst.)
Endocrine function in bronchial asthma and hay fever (Lemon et al.), 384
Enzymatic mechanisms in action of complement (Becker), 191
Eosinophilia, experimental (Dzury and Cohen), 340
Eosinophilic granuloma of lung, pathology of, *11* (Abst.)
Epinephrine and norepinephrine, transport in human plasma, *90* (Abst.)
Erythema neonatorum allergicum, *54* (Abst.)
Escherichia coli 075 (paracolobactrum), family outbreak of diarrheal disease associated with, *44* (Abst.)

F

Fatal agranulocytosis during carbimazole therapy, *41* (Abst.)
bromsulphalein reaction, *7* (Abst.)
penicillin reactions, follow-up study, *68* (Abst.)
shock following oral penicillin, case of, *8* (Abst.)
Fibrosis, diffuse interstitial, of lungs (Hamman-Rich syndrome), *64* (Abst.)
Florida Allergy Society, 88 (Announcement)
Food Allergy, Committee on, 475 (Announcement)
extracts, allergenic. I. Methods of preparation (Strauss et al.), 173
tests, intradermal, in recurrent ulcerative (aphthous) stomatitis (Barbash et al.), 442
Foreign body, aspirated vegetable (peanut?), bilateral wheezing from, *50* (Abst.)
Fractures of ribs, repeated multiple, by cough in bronchial asthma (Fein), 209
Fungicidal agents in treatment of allergy to molds (Criep et al.), 258

G

Gamma globulin, human, reagin content of chromatographic fractions, *59* (Abst.)
study (report of Committee on Drugs of Research Council, American Academy of Allergy), 464
treatment of eczema herpeticum, *53* (Abst.)

Gel diffusion, antigenic analysis by. III. Pollens of amaranth-chenopod group, *36* (Abst.)
Granuloma, eosinophilic, of lung, pathology of, *11* (Abst.)
Grass pollen, failure of antepartum or neonatal exposure to influence later development of grass sensitivity (Reed), 300
Growth and adrenocorticotropic hormones, influence of, on antibody formation, *12* (Abst.)

H

Hamman-Rich syndrome (diffuse interstitial fibrosis of lungs), *64* (Abst.)
Hay fever and asthma, *1, 17, 33, 49, 65, 81* (Absts.)
and bronchial asthma, endocrine function in (Lemon et al.), 384
prednisolone snuff in, *33* (Abst.)
ragweed, treatment of, with methylprednisolone (Medrol) (Brown et al.), 227
Heat and moisture exchange of respiratory mucous membrane, *20* (Abst.)
Hemagglutinin (antibody) response as tool for etiologic diagnosis of diarrheal disease, *44* (Abst.)
Hematocrit changes as indication of anaphylactic shock in mouse, *25* (Abst.)
Hemolytic anemia, thrombocytopenic purpura, and renal disease, unusual syndrome, *62* (Abst.)
disease of newborn resulting from anti-s antibody, *61* (Abst.)
Hemorrhagic response, local (Shwartzman-like reaction) of mice to single intradermal injection of bacterial polysaccharides, strain differences in, *15* (Abst.)
Henoch's purpura and intussusception, coexistence of, *89* (Abst.)
Hepatitis, dermatitis, and pyrexia; severe sensitivity reaction attributable to phenylindanedione, *40* (Abst.)
serum, homologous, possible unusual occurrence following passive transfer studies, *61* (Abst.)
plasma transfusion without transmission of, *61* (Abst.)
Histamine and anaphylactic shock in mice, enhancement of, by Brucella abortus (Malkiel and Hargis), 524
and antihistamines, contribution to pharmacodynamic study in big animals, *76* (Abst.)
content in experimental toxic and allergic contact dermatitis (Fisher and Cooke), 396
effect on neuromyal blocking agents, *73* (Abst.)
Histamine—Cont'd
increased blood, in thermal intolerance (Henderson et al.), 122
in vitro release from leukocytes of atopic persons, quantitative study (VanArsdel et al.), 429
mast cells, and serotonin, *92* (Abst.)
potentiation of, by imidazoleacrylcholine (Murexine) and imidazoleproprionylcholine (dihydromurexine), *73* (Abst.)
pressor effect, in rabbit, *91* (Abst.)
serotonin, and antigen-antibody complex activity in isolated sensitized guinea pig uteri; studies in allergy (MacHaffie et al.), 545
release during anaphylaxis in rabbit, *9* (Abst.)
urinary excretion of, in bronchial asthma, *82* (Abst.)
Histoplasmin, specific and nonspecific reactions to, and to coccidioidin, prevalence of sensitivity to coccidioidin, *51* (Abst.)
Historian's report, American Academy of Allergy (Howes), 283
Honey in infant feeding cause of allergy? *88* (Abst.)
Honeybees, wasps, yellow hornets, black hornets, and yellow jackets, antigenic relationships between (Foubert and Stier), 13
Hormones, steroid, and corticotropin, status of, in therapy of allergic disease, *18* (Abst.)
Hornets, yellow and black, honeybees, wasps, and yellow jackets, antigenic relationships between (Foubert and Stier), 13
Hydrocortisone, corticotropin, and cortisone, effect of, on storage of melanin in basal cells and on dopa oxidase reaction; studies on atopic dermatitis, *4* (Abst).
effect of, on activation and activity of anaphylatoxin in vitro, *83* (Abst.)
in vitro action in leucocyte migration, *47* (Abst.)
Hydroxypropyl theophylline, *58* (Abst.)
Hydroxyzine (Atarax) in chronic urticaria and in allergic manifestations (Feinberg et al.), 358
hypersensitivity following ingestion of, in meprobamate-sensitive patient (Cohen and Cohen), 542
prednisolone alone and in combination with (Arbesman and Ehrenreich), 242
Hydroxyzine-prednisolone combination, comparing effectiveness of, with prednisolone in treatment of allergic diseases (Brown and Seideman), 80

Hypersensitivity phenomena, studies on mechanism. II. Participation of complement in passive cutaneous anaphylaxis of albino rat, *76* (Abst.)

Hypothermia and allergy, experimental, *28* (Abst.)

I

Ileum and uterus of guinea pigs injected with testis or sperm, anaphylactoid response, demonstration in vitro, *57* (Abst.)

Imidazoleacrylcholine (Murexine) and imidazoleproprionylcholine (dihydromurexine), potentiation of histamine by, *73* (Abst.)

Immune response to bovine serum albumin, nature of antigen-antibody complexes formed in rabbits during, *77* (Abst.)

to ragweed pollen antigens (Cohen and Michelini), 446

Immunity, antigenic role of excretions and secretions of Trichinella spiralis in production of, in mice, *44* (Abst.)

of adult Trichinella spiralis in production of, in mice, *93* (Abst.)

Immunization against tetanus and diphtheria with special combined toxoid, *61* (Abst.)

Immunochemical basis of allergic reactions to dextran in man, studies on, *7* (Abst.)

Immunologic relationship between nucleoprotein fraction of two strains of staphylococcus as determined by anaphylaxis (Dworetzky et al.), 48

Immunology, *12, 28, 43, 59, 76, 93* (Absts.)

Infancy, diagnosis of asthma in, *66* (Abst.)

Infant feeding, does honey in, cause allergy? *88* (Abst.)

Influenza, Asian, local allergic reaction of previously vaccinated skin during (Zelman), 381

Asiatic, vaccine, acute vascular purpura following immunization with, *86* (Abst.)

virus vaccine, monovalent, mass immunization with, *92* (Abst.)

Inhalants, atopic dermatitis due to, *3* (Abst.)

Insects as inhalant allergens (Perlman), 302

International Congress of Allergy, third, 182, 285, 475 (Announcements)

symposium—mechanisms of hypersensitivity, 183 (Announcement)

Intestinal obstruction—heretofore undescribed visceral manifestation of allergy to penicillin, *22* (Abst.)

Intranasal instrumentation, method for measuring nasal resistance without (Seebohm and Hamilton), 56

Intrinsic asthma, reversible disease? (Rackemann and Edwards), 528

Intussusception and Henoch's purpura, coexistence of, *89* (Abst.)

Iodine, myxedema due to, *75* (Abst.)

Isoproterenol aerosol in treatment of bronchial asthma and chronic pulmonary emphysema (Zohman and Williams), 72

Ivy, Algerian, contact dermatitis from, *37* (Abst.)

J

Jacobi, Mary Putnam, fellowship, 555 (Announcement)

Jerusalem, atmospheric pollen in 1953-1954, *68* (Abst.)

K

Kartagener's syndrome, variants of, in same family, *81* (Abst.)

L

Lens, ocular, homologous immunological studies of. I. In vitro observations, *12* (Abst.)

II. Biological aspects, *13* (Abst.)

Leucocyte migration, in vitro action of hydrocortisone, *47* (Abst.)

Leukocyte(s) antibodies, prevalence, nature, and identification, *60* (Abst.)

of atopic persons, in vitro release of histamine from, quantitative study (VanArsdel et al.), 429

Liquefaction of bronchial secretion, more direct, by aerosol therapy, *18* (Abst.)

Liver, fatal massive necrosis, as manifestation of hypersensitivity to probenecid, *78* (Abst.)

Lung(s), diffuse interstitial fibrosis (Hamman-Rich sydrome), *64* (Abst.)

disease, measurement of pulmonary diffusing capacity in presence of, *91* (Abst.)

eosinophilic granuloma of, pathology, *11* (Abst.)

polyarteritis nodosa with multiple infarcts in, *27* (Abst.)

Lupus erythematosus disseminatus after administration of Mesantoin, *9* (Abst.)

thrombohemolytic thrombocytopenic purpura with, *23* (Abst.)

Lymph node cells, formation of agglutinins to Shigella paradysenteriae by transfer of, *14* (Abst.)
and peritoneal exudate cells, transferred, quantitative aspects of antibody responses, *30* (Abst.)

M

Mast cells, histamine, and serotonin, *92* (Abst.)
Medicine, psychosomatic: clinical study of psychophysiologic reactions, 89 (B. rev.)
Medrol (methylprednisolone), treatment of ragweed hay fever with (Brown et al.), 227
Melanin distribution; studies on atopic dermatitis. II, *4* (Abst.)
storage of, in basal cells; studies on atopic dermatitis. III, *4* (Abst.)
Meprobamate, idiosyncrasy to one tablet, *37* (Abst.)
drug eruptions due to, *56* (Abst.)
therapy, aplastic anemia after, *69* (Abst.)
Meprobamate-sensitive patient, hypersensitivity following ingestion of hydroxyzine (Atarax) in (Cohen and Cohen), 542
Mesantoin, lupus erythematosus disseminatus after administration of, *9* (Abst.)
Methylphenidate hydrochloride (Ritalin) in obstructive pulmonary disease (Schiller and Michelson), 160
oral and aerosolized, in obstructive pulmonary disease (Schiller and Lowell), 151
Methylprednisolone (Medrol), treatment of ragweed hay fever with (Brown et al.), 227
Mid-West forum on allergy, 555 (Announcement)
Milk allergy—diagnostic aspects and role of milk substitutes, *23* (Abst.)
Millers' asthma and bakers' asthma, etiology and pathogenesis, *20* (Abst.)
Moisture and heat exchange of respiratory mucous membrane, *20* (Abst.)
Mold(s), allergy to, fungicidal agents in treatment (Criep et al.), 258
spores, atmospheric, as allergens in New York metropolitan area, evaluation of seven-year study (Merksamer and Sherman), 60
surveys by culture plate method, value and limitations of (Rooks and Shapiro), 24
Mononuclear cells, experimental depletion of, for investigating reactions of allergic contact type (Wilhelm et al.), 493
Myxedema due to iodine, *75* (Abst.)

N

N-[β-(10-phenothiazinyl) propyl] trimethylammonium benzene chloride and two established bronchodilator preparations, use of color-coded tablets in clinical appraisal (Schiller et al.), 293
Narcotine (Noscapine), use of, as antitussive agent, *27* (Abst.)
Nasal resistance, method for measuring, without intranasal instrumentation (Seebohm and Hamilton), 56
National Institute of Allergy and Infectious Diseases, 85 (Editorial)
Jewish Hospital of Denver to choose chief of Asthma Service, 182 (Announcement)
Necrosis of liver, fatal massive, as manifestation of hypersensitivity to probenecid, *78* (Abst.)
Nervous system and anaphylaxis. Part II, *71* (Abst.)
Part III, *83* (Abst.)
Neuritis of brachial plexus and papuloerythematous eruption after injections of penicillin, *9* (Abst.)
Neurodermatitis and emotional tension, *54* (Abst.)
Neurologic manifestations of chronic pulmonary insufficiency, *93* (Abst.)
Neuromyal blocking agents, effect of histamine on, *73* (Abst.)
Neutrapen (report of Committee on Drugs of Research Council, American Academy of Allergy), 465
Newborn, hemolytic disease of, resulting from anti-s antibody, *61* (Abst.)
New York Allergy Society, 88 (Announcement)
metropolitan area, evaluation of atmospheric mold spores as allergens in seven-year study (Merksamer and Sherman), 60
Nitrofurantoin, anaphylactoid reaction to, *69* (Abst.)
Noradrenaline and adrenaline content of adrenal gland of rat following depletion with reserpine, *92* (Abst.)
resynthesis of, in adrenal gland of cat, *11* (Abst.)
Norepinephrine and epinephrine, transport of, in human plasma, *90* (Abst.)
North American snake venoms, survey of human allergy to, *24* (Abst.)
Noscapine (Narcotine), use of, as antitussive agent, *27* (Abst.)
Novobiocin, apparent sensitization to, *41* (Abst.)
Nucleoprotein fraction of two strains of staphylococcus, immunologic relationship between, as determined by anaphylaxis (Dworetzky et al.), 48
Nurses, chlorpromazine dermatitis in, *5* (Abst.)

O

Obituary, Davison, Hal McCluney, 477
Friedman, Townsend B., 188
Harten, Max, 92
Kahn, Isidore Stanley, 477
Leopold, Simon Stein, 188
Ratner, Bret, 90
Smith, Robert B., 379

Obstructive pulmonary disease, methylphenidate hydrochloride (Ritalin) in (Schiller and Michelson), 160
oral and aerosolized in, appraisal (Schiller and Lowell), 151

Ocular lens, homologous immunological studies of. I. In vitro observations, *12* (Abst.)
II. Biological aspects, *13* (Abst.)

Ophthalmic decongestants in allergic conjunctivitis, comparative study, *71* (Abst.)

Oregon Society of Allergy, 555 (Announcement)

Osmylogenic urticaria, *39* (Abst.)

Otorhinology and ophthalmology, *20, 71, 90* (Absts.)

Outpatient bronchodilator therapy, *35* (Abst.)

Ovarian teratoma, auto-immune hemolytic anemia arrested by removal of, *32* (Abst.)

P

Papulo-erythematous eruption and neuritis of brachial plexus after injections of penicillin, *9* (Abst.)

Parabromdylamine maleate (Dimetane), new antihistaminic, clinical experience (Dann et al.), 511

Paracolobactrum (Escherichia coli 075), family outbreak of diarrheal disease associated with, *44* (Abst.)

Paranasal sinuses, transillumination, *90* (Abst.)

Passive transfer, attempted, of thrombotic thrombocytopenic purpura, *15* (Abst.)
studies, possible unusual occurrence of homologous serum hepatitis following, *61* (Abst.)

Peanut, bilateral wheezing from aspirated vegetable foreign body, *50* (Abst.)

Pediatric(s) allergy, residency in, at Childrens Hospital in Columbus, Ohio, 285 (Announcement)
general practice of, incidence of allergic diseases, *34* (Abst.)

Penicillin, allergy to, heretofore undescribed visceral manifestation of—intestinal obstruction, *22* (Abst.)
anaphylaxis, *39* (Abst.)
benzathine, reactions to, *70* (Abst.)

Penicillin—Cont'd
fatal intolerance to, *25* (Abst.)
reactions, *85* (Abst.)
G, benzathine, untoward reactions to, in study of rheumatic fever prophylaxis in adults, *89* (Abst.)
hypersensitivity, penicillinase treatment of acute renal insufficiency due to, *87* (Abst.)
lozenge, anaphylactic shock from, *89* (Abst.)
oral, fatal shock following, case of, *8* (Abst.)
papulo-erythematous eruption and neuritis of brachial plexus after injections of, *9* (Abst.)
penicillinase-proved allergy to, in poliomyelitis vaccine, *88* (Abst.)
reactions, fatal, follow-up study, *68* (Abst.)
new concept in treatment: use of penicillinase, *79* (Abst.)
penicillinase in treatment of, *6* (Abst.)

Penicillinase; new concept in treatment of penicillin reactions, *79* (Abst.)
treatment of acute renal insufficiency due to penicillin hypersensitivity, *87* (Abst.)
of penicillin reactions, *6* (Abst.)

Penicillinase-proved allergy to penicillin in poliomyelitis vaccine, *88* (Abst.)

Periodic disease (recurrent polyserositis), tuberculin hypersensitivity and choroidal findings, *57* (Abst.)

Peritoneal exudate and lymph node cells, transferred, quantitative aspects of antibody responses, *30* (Abst.)

Personality variations in bronchial asthma, *50* (Abst.)

Pharmacological properties of 21-hydroxypregnanedione sodium succinate, intravenous anesthetic agent, *47* (Abst.)

Pharmacology, physiology, and pathology, *10, 25, 42, 58, 73, 90* (Absts.)

Phenylindanedione, severe sensitivity reaction (hepatitis, dermatitis, and pyrexia) attributable to, *40* (Abst.)

Philadelphia Allergy Society, 88 (Announcement)

Pittsburgh, residencies available in, 88 (Announcement)

Plasma adrenocorticotrophic hormone in Addison's disease and its modification by administration of adrenal steroids, *75* (Abst.)
human, transport of epinephrine and norepinephrine in, *90* (Abst.)
transfusion without transmission of serum hepatitis, *61* (Abst.)

Poisoning, Benadryl, in children, *64* (Abst.)

Poliomyelitis, side effects and complications of vaccination against, *45* (Abst.)
vaccine, penicillinase-proved allergy to penicillin in, *88* (Abst.)
Salk, cutaneous eruptions after use, *52* (Abst.)
severe allergic reaction, *87* (Abst.)
Pollen antigens, ragweed, immune responses to (Cohen and Michelini), 446
asthma and pollinosis, study of role of antigen dosage in treatment of, *2* (Abst.)
atmospheric, in Jerusalem in 1953-1954, *68* (Abst.)
extract, ragweed, incidence of subsequent ragweed pollinosis in symptom-free persons having positive reactions to (Chambers and Glaser), 249
grass, failure of antepartum or neonatal exposure to influence later development of grass sensitivity (Reed), 300
Pollinosis and pollen asthma, study of role of antigen dosage in treatment of, *2* (Abst.)
ragweed, incidence of subsequent, in symptom-free persons having positive reactions to ragweed pollen extract (Chambers and Glaser), 249
Polyarteritis nodosa, *7* (Abst.)
with multiple infarcts in lungs, *27* (Abst.)
Polymorphonuclear leukocytes, human, reactions of, to various allergens (Chambers et al.), 93
Polyserositis, recurrent ("periodic disease"), tuberculin hypersensitivity and choroidal findings, *57* (Abst.)
Prednisolone aerosol in asthmatic bronchitis, *67* (Abst.)
alone and in combination with hydroxyzine (Arbesman and Ehrenreich), 242
ester particularly active by local administration, *45* (Abst.)
hemisuccinate given intravenously to patients with bronchial asthma, first therapeutic experiences with, *20* (Abst.)
snuff in hay fever, *33* (Abst.)
Prednisolone-hydroxyzine combination, comparing effectiveness of, with prednisolone in treatment of allergic diseases (Brown and Seideman), 80
Prednisone and ACTH, increased effect of Adrenalin after pretreatment with, in cases of bronchial asthma, *82* (Abst.)
desensitization of allergy due to streptomycin with, *52* (Abst.)
Prednisone—Cont'd
and prednisolone in chronic allergic diseases (Sherwood and Barnard), 222
clinical use, in allergic states and collagen diseases, *21* (Abst.)
topically applied, in treatment of selected dermatoses, *38* (Abst.)
therapy, toxic dermatitis associated with, *56* (Abst.)
President's address, American Academy of Allergy (Sherman), 274
Probenecid, hypersensitivity to, fatal massive necrosis of liver as manifestation of, *78* (Abst.)
Procaine, injected, local allergic edema induced by (Siegal), 329
Promazine therapy, agranulocytosis after, *79* (Abst.)
Protein antigen, impairment of antigenicity of, following its injection into rabbits, *13* (Abst.)
Psychological security, long-term treatment of bronchial asthma by steroids and promotion of, *19* (Abst.)
Psychosomatic medicine: clinical study of psychophysiologic reactions, 89 (B. rev.)
Pulmonary changes in collagen diseases, *26* (Abst.)
circulation, effects of aminophylline and other xanthines on, *74* (Abst.)
diffusing capacity in presence of lung disease, measurement, *91* (Abst.)
methylphenidate hydrochloride in (Schiller and Michelson), 160
(Ritalin), in, appraisal (Schiller and Lowell), 151
emphysema, chronic, and bronchial asthma, comparative effects of aerosol bronchodilators on ventilatory function in (Zohman and Williams), 72
role of chlorpromazine in treatment, *65* (Abst.)
comparative study of intrapulmonary gas mixing and functional residual capacity in, using helium and nitrogen as test gases, *91* (Abst.)
obstructive, 375 (Editorial)
T-a wave of adult electrocardiogram, expression of, *63* (Abst.)
insufficiency, chronic, neurologic manifestations of, *93* (Abst.)
tuberculosis, tuberculin reaction during chemotherapy for, *31* (Abst.)
Purpura, acute vascular, following immunization with Asiatic influenza vaccine, *86* (Abst.)
anaphylactoid, cardiac involvement in, *45* (Abst.)
Henoch's, and intussusception, coexistence of, *89* (Abst.)

Purpura—Cont'd
thrombocytopenic, in diabetic treated with hypoglycemiagenic sulfamide BZ55, *71* (Abst.)
thrombohemolytic thrombocytopenic, with lupus erythematosus, *23* (Abst.)
thrombotic thrombocytopenic, attempted passive transfer of, *15* (Abst.)
Pyrazolone derivatives (aminopyrine), allergy to, with evidence of reaginic type antibody (Halpern et al.), 1
Pyrexia, hepatitis, and dermatitis; severe sensitivity reaction attributable to phenylindanedione, *40* (Abst.)
Pyribenzamine (tripelennamine): effects on renal hemodynamics and excretion of water and electrolytes, *11* (Abst.)

R

Radiographic method for determining differential vital capacity, bronchospirometric studies, *43* (Abst.)
Ragweed hay fever, treatment of, with methylprednisolone (Medrol) (Brown et al.), 227
pollen antigens, immune responses to (Cohen and Michelini), 446
neutralizing antibody for, applicability of in vitro tests in measurement of (Follensby), 103
pollinosis, incidence of subsequent, in symptom-free persons having positive reactions to ragweed pollen extract (Chambers and Glaser), 249
Ragweed-sensitive persons, treated, demonstration of reagin of new specificity in sera (Richter et al.), 287
Reagin content of chromatographic fractions of human gamma globulin, *59* (Abst.)
of new specificity in sera of treated ragweed-sensitive persons (Richter et al.), 287
Reaginic type antibody, allergy to pyrazolone derivatives (aminopyrine) with evidence of (Halpern et al.), 1
Renal disease, hemolytic anemia, and thrombocytopenic purpura, unusual syndrome, *62* (Abst.)
insufficiency, acute, due to penicillin hypersensitivity, penicillinase treatment of, *87* (Abst.)
Research Council of American Academy of Allergy, report for 1957-1958 (Mathews), 467
Committee on Drugs, report for 1957-1958 (Friedlaender), 459
Committee on Food Allergy, 475 (Announcement)
Reserpine, adrenaline and noradrenaline content of adrenal gland of rat following depletion with, *92* (Abst.)
Residency(ies) available in Pittsburgh, 88 (Announcement)
in pediatric allergy at Childrens Hospital, Columbus, Ohio, 285 (Announcement)
Respiratory allergy in tropical countries of Central and South America, etiological agents (Naranjo), 362
center, sensitivity of, to carbon dioxide in emphysema and cor pulmonale: effects of carbon anhydrase inhibition, *25* (Abst.)
mucous membrane, heat and moisture exchange of, *20* (Abst.)
tract, lower, bacteriology of, in health and chronic diseases, *48* (Abst.)
Resynthesis of adrenaline and noradrenaline in adrenal gland of cat, *11* (Abst.)
Rheumatic fever prophylaxis in adults, untoward reactions to benzathine penicillin G in study of, *89* (Abst.)
Ribs, repeated multiple fractures of, by cough in bronchial asthma (Fein), 209
Rickettsial and virus vaccines, variations in egg white and egg yolk components (Cohen and Mines), 479
Ritalin in obstructive pulmonary disease (Schiller and Michelson), 160
oral and aerosolized, in obstructive pulmonary disease (Schiller and Lowell), 151
Rocky Mountain Allergy Society, 380 (Announcement)
Roentgenographic mediastinal shadow (thymus?) and allergy in childhood, *57* (Abst.)

S

Salivary secretion, aberrant, and blood group conflicts, significance in spontaneous abortion, *44* (Abst.)
Salk poliomyelitis vaccine, cutaneous eruptions after use, *52* (Abst.)
SC-7188; use of color-coded tablets in clinical appraisal of two established bronchodilator preparations and N-[β-(10-phenothiazinyl) propyl] trimethylammonium benzene chloride (Schiller et al.), 293
Schick, Dr. Béla, honored by Collegium Internationale Allergologicum, 87 (Announcement)
Schönlein-Henoch syndrome, clinical and biological studies on, *24* (Abst.)

Sensitivity, allergic contact-type, transfer of, in man, *5* (Abst.)
to animals: case report with immunologic studies. I. Clinical aspects (Arbesman et al.), 130
II. Serologic aspects (Beede et al.), 139
reaction, severe (hepatitis, dermatitis, and pyrexia) attributable to phenylindanedione, *40* (Abst.)
of respiratory center to carbon dioxide in emphysema and cor pulmonale: effects of carbon anhydrase inhibition, *25* (Abst.)
Sensitization, apparent, to novobiocin, *41* (Abst.)
Serotonin, histamine, and antigen-antibody complex activity in isolated sensitized guinea pig uteri; studies in allergy (MacHaffie et al.), 545
release during anaphylaxis in rabbit, *9* (Abst.)
mast cells, and histamine, *92* (Abst.)
Serum hepatitis, homologous, possible unusual occurrence following passive transfer studies, *61* (Abst.)
plasma transfusion without transmission of, *61* (Abst.)
protein abnormalities in asthmatic children, observations on detection, *49* (Abst.)
Shigella paradysenteriae, formation of agglutinins to, by transfer of lymph node cells, *14* (Abst.)
Shock, histamine and anaphylactic, in mice, enhancement of, by Brucella abortus (Malkiel and Hargis), 524
Shwartzman reaction, local, role of vasoconstriction in, *15* (Abst.)
Shwartzman-like reaction (local hemorrhagic response) of mice to single intradermal injection of bacterial polysaccharides, strain differences in, *15* (Abst.)
Silk allergy, severe immediate reactions to biologicals caused by, *23* (Abst.)
Sinuses, paranasal, transillumination of, *90* (Abst.)
Sinusitis, suspected, provocative x-ray therapy as new aid to diagnosis, *21* (Abst.)
Smog irritants, effects of possible, on human subjects, *32* (Abst.)
Snake venoms, North American, survey of human allergy to, *24* (Abst.)
Snuff, prednisolone, in hay fever, *33* (Abst.)
South and Central America, respiratory allergy in tropical countries of, etiological agents (Naranjo), 362
Sperm or testis, anaphylactoid response of uterus and ileum of guinea pigs injected with, demonstration in vitro, *57* (Abst.)
Spermatozoa from man, occurrence of blood group antigens in, investigation on, and serologic demonstration of segregation of characters, *31*, *93* (Absts.)
Sputum, studies with. I. Initial observations on chemical nature and blood group substance content of asthmatic sputum (Bukantz and Berns), 29
Staphylococcus, study of materials derived from. IV. Precipitating antibodies to staphylococcal antigens in human sera (Beiser et al.), 44
V. Immunologic relationship between nucleoprotein fraction of two strains of staphylococcus as determined by anaphylaxis (Dworetzky et al.), 48
Steroid(s), adrenocortical, role of, in treatment of intractable bronchial asthma (Irwin and Burrage), 233
aerosolized, in bronchial asthma (Franklin et al.), 214
feedback mechanism, *42* (Abst.)
hormones and corticotropin, status of, in therapy of allergic disease, *18* (Abst.)
and promotion of psychological security, long-term treatment of bronchial asthma by, *19* (Abst.)
tranquilizers, and other drugs, comparative inhibition of anaphylaxis in mice by, *41* (Abst.)
Steroid-hormone therapy, deaths associated with, *46* (Abst.)
Stomatitis, aphthous (canker sores), buccal mucosal tests in patients with (Tuft and Girsh), 502
recurrent ulcerative (aphthous), citric acid sensitivity (Kutscher et al.), 438
intradermal food test studies (Barbash et al.), 442
Streptomycin, allergy due to, method of sensitization with prednisone, *52* (Abst.)
Sympathomimetic bronchodilators, cardiovascular effects, *74* (Abst.)

T

T-a wave of adult electrocardiogram: expression of pulmonary emphysema, *63* (Abst.)
Tar-steroid cream, three-way therapeutic effectiveness, *55* (Abst.)
Teratoma, ovarian, auto-immune hemolytic anemia arrested by removal of, *32* (Abst.)

Testis or sperm, anaphylactoid response of uterus and ileum of guinea pigs injected with, demonstration in vitro, *57* (Abst.)

Tetanus and diphtheria, immunization against, with special combined toxoid, *61* (Abst.)

Tetracycline, dermatitis medicamentosa apparently due to (Ziprkowski and Glazer), 336

Theophylline with diethylenediamine: new xanthine derivative, *82* (Abst.)

(Elixophyllin), treatment of acute asthmatic attack with oral alcohol-water solution of, *1* (Abst.)

Thermal intolerance, increased blood histamine in (Henderson et al.), 122

Thermo-Fax copy paper, contact dermatitis due to, *55* (Abst.)

dermatitis caused by copying paper, *68* (Abst.)

Thrombocytopenic purpura in diabetic treated with hypoglycemiagenic sulfamide BZ55, *71* (Abst.)

hemolytic anemia, and renal disease, unusual syndrome, *62* (Abst.)

Thrombohemolytic thrombocytopenic purpura with lupus erythematosus, *23* (Abst.)

Thrombotic thrombocytopenic purpura, attempted passive transfer of, *15* (Abst.)

Thymus; widened roentgenographic mediastinal shadow and allergy in childhood, *57* (Abst.)

Toxicity, aminophylline, *19* (Abst.)

Trachea and major bronchi; compression of, as cause of asthmatic wheezing, *35* (Abst.)

Tracheal strip: observations on response of tracheal muscle (Patterson), 165

Tranquilizers, steroids, and other drugs, comparative inhibition of anaphylaxis in mice by, *41* (Abst.)

Transillumination of paranasal sinuses, *90* (Abst.)

Triacetyloleandomycin, effectiveness of, in wide variety of infections, *94* (Abst.)

Triamcinolone (Aristocort), new corticosteroid hormone, *67* (Abst.)

Trichinella spiralis, excretions and secretions of, antigenic role in production of immunity in mice, *44* (Abst.)

adult, excretions and secretions of, antigenic role in production of immunity in mice, *93* (Abst.)

Trichinella spiralis—Cont'd

infections in nonimmunized mice, effects of cortisone on, *48* (Abst.)

Tripelennamine (Pyribenzamine): effects on renal hemodynamics and excretion of water and electrolytes, *11* (Abst.)

Tropical countries of Central and South America, etiological agents of respiratory allergy in (Naranjo), 362

Tuberculin, Arthus, and atopic allergic responses, 553 (Editorial)

hypersensitivity and choroidal findings in recurrent polyserositis ("periodic disease"), *57* (Abst.)

reaction during chemotherapy for pulmonary tuberculosis, *31* (Abst.)

testing of aged, *31* (Abst.)

Tuberculosis, pulmonary, tuberculin reaction during chemotherapy for, *31* (Abst.)

U

Ulcerative (aphthous) stomatitis, recurrent; citric acid sensitivity in (Kutscher et al.), 438

intradermal food test studies (Barbash et al.), 442

Ultracortessol; ester of prednisolone particularly active by local administration, *45* (Abst.)

Urinary excretion of histamine in bronchial asthma, *82* (Abst.)

Urticaria, chronic, and allergic manifestations, hydroxyzine (Atarax) in (Feinberg et al.), 358

osmylogenic, *39* (Abst.)

Uterus and ileum of guinea pigs injected with testis or sperm, anaphylactoid response, demonstration in vitro, *57* (Abst.)

V

Vaccination against poliomyelitis, side effects and complications, *45* (Abst.)

Vasoconstriction, role of, in local Shwartzman reaction, *15* (Abst.)

Ventilatory function in bronchial asthma and chronic pulmonary emphysema, comparative effects of aerosol bronchodilators on (Zohman and Williams), 72

Viadril; general pharmacological properties of 21-hydroxy-pregnanedione sodium succinate, intravenous anesthetic agent, *47* (Abst.)

Virus and rickettsial vaccines, variations in egg white and egg yolk components (Cohen and Mines), 479
Vital capacity, differential, bronchospirometric studies relating to radiographic method for determining, *43* (Abst.)

W

Wasps, honeybees, yellow hornets, black hornets, and yellow jackets, antigenic relationships between (Foubert and Stier), 13
Wheezing, asthmatic; compression of trachea and major bronchi as cause, *35* (Abst.)
bilateral, from aspirated vegetable (peanut?) foreign body, *50* (Abst.)

X

Xanthine(s), aminophylline and other, effects on pulmonary circulation, *74* (Abst.)
derivative, new: theophylline with diethylenediamine, *82* (Abst.)
Xiphodynia as concomitant of asthma, *36* (Abst.)
X-ray therapy, provocative, as new aid to diagnosis of suspected sinusitis, *21* (Abst.)

Y

Yellow jackets, honeybees, wasps, yellow hornets, and black hornets, antigenic relationships between (Foubert and Stier), 13